

FOSHAN SONLAM HARDWARE FACTORY
FUZHOU SONLAM BUILDING MATERIALS CO.,LTD

TEL: 0591-87278561

WeChat: Crystal_Sonlam

WhatsApp:0086-18050157190

Email:sonlam@sonlam.net

Factory Address: No. 7, Guixingwei Industrial Zone, Shiling Village, Shishan Town,
Nanhai District, Foshan City, Guangdong Province, China

Head Office Address: Building 1, No. 10, Jinzhou North Road, Cangshan District,
Fuzhou, Fujian, China

SONLAM

Glass Hardware Fittings

<https://www.sonlam.net>

FOSHAN SONLAM HARDWARE FACTORY
FUZHOU SONLAM BUILDING MATERIALS CO.,LTD

SONLAM was established in 2005. We are a manufacturing enterprise specializing in the production and sales of building materials, including architectural hardware, door and window control hardware, kitchen and bathroom fittings, glass curtain wall and staircase hardware, smart home products, and precision hardware components. Over years of development, we have built a comprehensive system integrating R&D and design, manufacturing, sales and export, international warehousing, and direct overseas operations, supported by a complete and extensive product supply chain.

Corporate Development:

Our headquarters is located in Fujian, China, while our manufacturing facilities are in Guangdong, China. We are equipped with advanced precision metal processing machinery and a full range of hardware manufacturing equipment, staffed by experienced product designers and production technicians. We operate two warehousing centers in Guangdong Province and one operational warehousing center in Jiangsu Province.

Global Presence:

Our products are exported to over 130 countries worldwide, and we also provide OEM services to global clients.

Sample Service:

If any of our products meet your needs, please feel free to contact us. We would be happy to provide you with samples. We assure you that any inquiries or requests will receive prompt attention.


Overseas Warehousing:

To better serve our global clientele, we are progressively establishing large-scale warehousing centers in key countries, ensuring ample inventory and reliable stock availability to support local sales. If you face challenges such as high sales volume but frequent stockouts, or long order lead times that hinder your market performance, we invite you to partner with us. We can establish a warehousing center in your country to provide sufficient stock and robust systemic support, maximizing your sales potential.

Service with Integrity:

SONLAM has earned high recognition and acclaim from customers worldwide thanks to our exceptional product quality and sincere, trustworthy service. Moving forward, we remain committed to providing convenient and attentive service to our global customers as we strive for even greater success.

SONLAM has obtained full certification for:
ISO 9001:2015 International Quality Management System
GB/T 19001-2016 Chinese Quality Management System




Installation steps:

1. The first two columns of the same fixed level, a good set of decorative cover;
2. Unscrew the side screws, removed the pads;
3. Place the pads wrap the glass edge;
4. Place the wrapped pad is placed in a glass column vessel;
5. Tighten the screws;



BJ-43

Material: SUS304/SUS316 Stainless Steel
Finish: Satin/Polish





BJ-58


Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish



BJ-38


Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish

Item NO	A	B	C
BJ-38-160	160	100	16
BJ-38-175	175	125	18




BJ-37

Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish





BJ-26

Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish



BJ-27

Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish



BJ-57

Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish



BJ-39


Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish

Item NO	A	B	C	D
BJ-39-160	160	105	17	96
BJ-39-170	170	110	18	80
BJ-39-175	175	125	18	99




BJ-57A-220

Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish





BJ-44

Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish



BJ-45


Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish






YS-33

Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish/PVD




YS-34

Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish/PVD




YS-35

Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish/PVD




MS-176

Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish/PVD



Installation Diagram of Glass Balustrade




Note: The tailgate glass which carry horizontal load is nominal thickness not less than 12mm tempered glass or nominal thickness not less than 16.76MM of tempered laminated glass. When the height from the lowest point of the tailgate glass to one side floor is above 3m or 3M, 5m 5m or below that should use nominal thickness of not less than 16.76 tempered glass. When the height over 5m that shall not be used the tailgate glass to carry horizontal load. (reference JGJ 113-2009<< architectural glass application technology regulations>>)



BJ-51DG

Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish




BJ-48

Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish




BJ-52

Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish




BJ-53

Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish



LZ-4040-400

Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish




BJ-54

Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish




BJ-56

Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish





BJ-55

Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish





BJ-59


Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish





Material:Aluminum




Material:Aluminum




Material:Aluminum



LGD-01



LGD-03






■ Material: SS304, SS316 ■ Finish: satin finish (S), polish finish(P)


MQ-18

Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish/PVD




MQ-19

Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish/PVD




MQ-20

Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish/PVD



MQ-21

Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish/PVD




■ Material: SS304, SS316 ■ Finish: satin finish (S), polish finish(P)

MQ-01

Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish/PVD


A	B	D	T
300	52	56	16
250	48	56	13.5
220	46	54	13
200	46	47	11
160	31	43	12
150	35	45	10



MQ-02

Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish/PVD


A	B	D	T
300	52	56	16
250	48	56	13.5
220	46	54	13
200	46	47	11
160	31	43	12
150	35	45	10



MQ-03

Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish/PVD


A	B	D	T
300	52	56	16
250	48	56	13.5
220	46	54	13
200	46	47	11
160	31	43	12
150	35	45	10



MQ-04

Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish/PVD

A	B	D	T
300	52	56	16
250	48	56	13.5
220	46	54	13
200	46	47	11
160	31	43	12
150	35	45	10




■ Material: SS304, SS316 ■ Finish: satin finish (S), polish finish(P)

MQ-05

Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish/PVD


A	B	D	T
212	52	56	16
177	48	56	13.5
156	46	54	13
141	46	47	11
113	31	43	12
106	35	45	10



MQ-06

Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish/PVD


A	B	D	T
150	52	56	16
125	48	56	13.5
110	46	54	13
100	46	47	11
80	31	43	12
75	35	45	10



MQ-07

Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish/PVD


A	B	D	T
200	52	50	12



MQ-08

Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish/PVD

A	B	D	T
200	52	50	12




■ Material: SS304, SS316 ■ Finish: satin finish (S), polish finish(P)

MQ-09

Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish/PVD



A	B	D	T
200	52	50	12




MQ-10

Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish/PVD



A	B	D	T
200	52	50	12




MQ-11

Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish/PVD



A	B	D	T
156	52	50	12




MQ-12

Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish/PVD



A	B	D	T
100	52	50	12




■ Material: SS304, SS316 ■ Finish: satin finish (S), polish finish(P)

MQ-17

Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish/PVD



A	B	D	T
160	22	30	8
120	22	30	7
100	22	30	7




MQ-16

Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish/PVD



A	B	D	T
160	22	30	8
120	22	30	7
100	22	30	7




MQ-15

Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish/PVD



A	B	D	T
160	22	30	8
120	22	30	7
100	22	30	7




MQ-14

Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish/PVD



A	B	D	T
160	22	30	8
120	22	30	7
100	22	30	7




■ Material: SS304, SS316 ■ Finish: satin finish (S), polish finish(P)

MQ-13

Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish/PVD


A	B	D	T
113	22	30	8
85	22	30	7
72	22	30	7



MQ-25

Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish/PVD

A	B	D	T
80	22	30	8
60	22	30	7
50	22	30	7



Design Load Routel

Type	No.	Item	Recommended Bearing of Axial Swivel Joint Negative pressure	Recommended Bearing of Radial Swivel Joint Weight
Flat cape type	1	MQ-22	1000	400
	2	MQ-26	4500	2000
	3	MQ-28	2500	1200
	4	MQ-29	4500	2000
	5	MQ-30	3500	1600
Countersunk type	6	MQ-23	4500	2000
	7	MQ-27	4500	2000


Design Load of Spder

No.	Type	Recommended Bearing of Axial Single Claw	Recommended Bearing of Radial Single Claw
1	200 Distance	2200	1100
2	220 Distance	3500	2000
3	260 Distance	4000	2000
4	300 Distance	4500	2000
5	K-Claw200 Distance	2000	1000

■ Material: SS304, SS316 ■ Finish: satin finish (S), polish finish(P)


MQ-26

Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish/PVD




MQ-27

Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish/PVD




MQ-28

Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish/PVD




MQ-29

Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish/PVD




MQ-23


Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish/PVD




Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish/PVD



Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish/PVD




Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish/PVD




Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish/PVD

A	B	D	T1	T2
33	71	48	5	6
26	43	39	5	6




Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish/PVD

A	B	D	T1	T2
33	71	48	5	6
26	43	39	5	6




Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish/PVD



This diagram illustrates the exploded view of a four-legged table assembly. The components are numbered as follows:

- 1:** A leg assembly consisting of a circular base plate, a vertical support post, and a horizontal leg arm.
- 2:** A leg assembly consisting of a circular base plate, a vertical support post, and a horizontal leg arm.
- 3:** A leg assembly consisting of a circular base plate, a vertical support post, and a horizontal leg arm.
- 4:** A leg assembly consisting of a circular base plate, a vertical support post, and a horizontal leg arm.
- 5:** A leg assembly consisting of a circular base plate, a vertical support post, and a horizontal leg arm.
- 6:** A leg assembly consisting of a circular base plate, a vertical support post, and a horizontal leg arm.


The diagram shows two rectangular panels (top and bottom) with the legs positioned around them, indicating the assembly process.






MQ-34

Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish/PVD




MQ-37

Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish/PVD




GH-35

Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish/PVD




CH-36

Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish/PVD



MQ-45

Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish/PVD




GH-34

Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish/PVD





MQ-41

Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish/PVD



MQ-42

Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish/PVD



①



②




③

■ Material: SS304, SS316 ■ Finish: satin finish (S), polish finish(P)





GH-16

Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish/PVD





GH-10

Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish/PVD



GH-64

Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish/PVD



Allowable Load Glass Suspension Clamp


No.	Item	Allowable load
1	MQ-33	4000
2	MQ-34	4000

■ Material: SS304, SS316 ■ Finish: satin finish (S), polish finish(P)




LTZ-01

Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish/PVD




LTZ-02

Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish/PVD





LTZ-03

Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish/PVD




Installation Diagram




■ Material: SS304, SS316 ■ Finish: satin finish (S), polish finish(P)







Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish/PVD



Material:SUS304/SUS316 Stainiess Steel
Finish:Satin/Polish/PVD




Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish/PVD




■ Material: SS304, SS316 ■ Finish: satin finish (S), polish finish(P)








Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish/PVD



Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish/PVD



Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish/PVD



MQ-835



MQ-834



MQ-837



MQ-836



ZH-79-25

[illegible]

ZH-76-25



ZH-88-25



ZH-73-25



ZH-74-25




ZH-75-25



The main components, all with CR-MO steel after forging, quenching and tempering and quenching, after grinding, hydraulic parts all immersed in the high-quality low temperature resistance.


The built-in valve, so that the host receives protection in foreign strong pressure or strong wind environ-ment, prevent damage or leakage.

■ Material: SS304, SS316 ■ Finish: satin finish (S), polish finish(P)



DT-01-25250

MODEL	APPLICATION	DOOR SIZE(mm)	LOADING WEIGHT(kg)
DT-01-25250	All Glass Door Installations	900x2000	<80-100




DT-04-26045

MODEL	APPLICATION	DOOR SIZE(mm)	LOADING WEIGHT(kg)
DT-01-25250	All Glass Door Installations	900x2000	90




DT-02-28950



MODEL	APPLICATION	DOOR SIZE(mm)	LOADING WEIGHT(kg)
DT-02-28950	All Glass Door Installations	1000x2200	<100-120




DT-08-28565



MODEL	APPLICATION	DOOR SIZE(mm)	LOADING WEIGHT(kg)
DT-08-28565	All Glass Door Installations	900x2000	<100-150




DT-05-26045



MODEL	APPLICATION	DOOR SIZE(mm)	LOADING WEIGHT(kg)
DT-05-26045	All Glass Door Installations	900x2000	<100-120



DT-03-30844




MODEL	APPLICATION	DOOR SIZE(mm)	LOADING WEIGHT(kg)
DT-03-30844	All Glass Door Installations	1100x2500	<100-150



DT-06(免挖式)

Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish/PVD




MODEL	APPLICATION	DOOR SIZE(mm)	LOADING WEIGHT(kg)
DT-03-30844	All Glass Door Installations	1100x2500	<80-100




DT-07

Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish/PVD




DT-07-8072

Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish/PVD



DT-10



Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish/PVD



The European design concept of profound and unique technology, Perfect combination of arts and products.

■ Material: SS304, SS316 ■ Finish: satin finish (S), polish finish(P)

SONLAM




■ Material: SS304, SS316 ■ Finish: satin finish (S), polish finish(P)




MJ-01-16352

Material:aluminum/zinc alloy/stainless steel 304/316
Suits for frameless tempered glass with thickness of 10-15mm
Used for different kinds of clamps and floor spring
With the finish of mirror, satin, titanium and PVD




MJ-02-16352

Material:aluminum/zinc alloy/stainless steel 304/316
Suits for frameless tempered glass with thickness of 10-15mm
Used for different kinds of clamps and floor spring
With the finish of mirror, satin, titanium and PVD




MJ-15-16251

Material:aluminum/zinc alloy/stainless steel 304/316
Suits for frameless tempered glass with thickness of 10-15mm
Used for different kinds of clamps and floor spring
With the finish of mirror, satin, titanium and PVD



MJ-08-220106

Material:aluminum/zinc alloy/stainless steel 304/316
Suits for frameless tempered glass with thickness of 10-15mm
Used for different kinds of clamps and floor spring
With the finish of mirror, satin, titanium and PVD




■ Material: SS304, SS316 ■ Finish: satin finish (S), polish finish(P)




MJ-05-16251

Material:aluminum/zinc alloy/stainless steel 304/316
Suits for frameless tempered glass with thickness of 10-15mm
Used for different kinds of clamps and floor spring
With the finish of mirror, satin, titanium and PVD




MJ-06-16251

Material:aluminum/zinc alloy/stainless steel 304/316
Suits for frameless tempered glass with thickness of 10-15mm
Used for different kinds of clamps and floor spring
With the finish of mirror, satin, titanium and PVD




MJ-07-21851

Material:aluminum/zinc alloy/stainless steel 304/316
Suits for frameless tempered glass with thickness of 10-15mm
Used for different kinds of clamps and floor spring
With the finish of mirror, satin, titanium and PVD



MJ-03-16352

Material:aluminum/zinc alloy/stainless steel 304/316
Suits for frameless tempered glass with thickness of 10-15mm
Used for different kinds of clamps and floor spring
With the finish of mirror, satin, titanium and PVD




■ Material: SS304, SS316 ■ Finish: satin finish (S), polish finish(P)




MJ-25-16451

Material:aluminum/zinc alloy/stainless steel 304/316
Suits for frameless tempered glass with thickness of 10-15mm
Used for different kinds of clampsand floor spring
With the finish of mirror, satin, titanium and PVD




MJ-04-16451

Material:aluminum/zinc alloy/stainless steel 304/316
Suits for frameless tempered glass with thickness of 10-15mm
Used for different kinds of clampsand floor spring
With the finish of mirror, satin, titanium and PVD




MJ-09-16451

Material:aluminum/zinc alloy/stainless steel 304/316
Suits for frameless tempered glass with thickness of 10-15mm
Used for different kinds of clampsand floor spring
With the finish of mirror, satin, titanium and PVD



MJ-10-10651

Material:aluminum/zinc alloy/stainless steel 304/316
Suits for frameless tempered glass with thickness of 10-15mm
Used for different kinds of clampsand floor spring
With the finish of mirror, satin, titanium and PVD




■ Material: SS304, SS316 ■ Finish: satin finish (S), polish finish(P)




MJ-11-21851

Material:aluminum/zinc alloy/stainless steel 304/316
Suits for frameless tempered glass with thickness of 10-15mm
Used for different kinds of clampsand floor spring
With the finish of mirror, satin, titanium and PVD




MJ-12-21851

Material:aluminum/zinc alloy/stainless steel 304/316
Suits for frameless tempered glass with thickness of 10-15mm
Used for different kinds of clampsand floor spring
With the finish of mirror, satin, titanium and PVD




MJ-13-10653

Material:aluminum/zinc alloy/stainless steel 304/316
Suits for frameless tempered glass with thickness of 10-15mm
Used for different kinds of clampsand floor spring
With the finish of mirror, satin, titanium and PVD



MJ-14-10632


Material:aluminum/zinc alloy/stainless steel 304/316
Suits for frameless tempered glass with thickness of 10-15mm
Used for different kinds of clampsand floor spring
With the finish of mirror, satin, titanium and PVD






MJ-17k

Material: SU304/Zinc Alloy
Suits for frameless tempered glass with thickness of 10-15mm
Used for different kinds of clamps and floor spring
With the finish of mirror, satin, titanium and PVD




MJ-17

Material: SU304/Zinc Alloy
Suits for frameless tempered glass with thickness of 10-15mm
Used for different kinds of clamps and floor spring
With the finish of mirror, satin, titanium and PVD




MJ-51K

Material: SU304/Zinc Alloy
Suits for frameless tempered glass with thickness of 10-15mm
Used for different kinds of clamps and floor spring
With the finish of mirror, satin, titanium and PVD




MJ-45K

Material: SU304/Zinc Alloy
Suits for frameless tempered glass with thickness of 10-15mm
Used for different kinds of clamps and floor spring
With the finish of mirror, satin, titanium and PVD




MJ-24

Material: SU304/Zinc Alloy
Suits for frameless tempered glass with thickness of 10-15mm
Used for different kinds of clamps and floor spring
With the finish of mirror, satin, titanium and PVD




MJ-21K

Material: SU304/Zinc Alloy
Suits for frameless tempered glass with thickness of 10-15mm
Used for different kinds of clamps and floor spring
With the finish of mirror, satin, titanium and PVD



MJ-21

Material: SU304/Zinc Alloy
Suits for frameless tempered glass with thickness of 10-15mm
Used for different kinds of clamps and floor spring
With the finish of mirror, satin, titanium and PVD




■ Material: SS304, SS316 ■ Finish: satin finish (S), polish finish(P)




MJ-30

Material: SU304/Zinc Alloy
Suits for frameless tempered glass with thickness of 10-15mm
Used for different kinds of clamps and floor spring
With the finish of mirror, satin, titanium and PVD




MJ-30K

Material: SU304/Zinc Alloy
Suits for frameless tempered glass with thickness of 10-15mm
Used for different kinds of clamps and floor spring
With the finish of mirror, satin, titanium and PVD




MJ-49-6047

Material: SU304/Zinc Alloy
Suits for frameless tempered glass with thickness of 10-15mm
Used for different kinds of clamps and floor spring
With the finish of mirror, satin, titanium and PVD




MJ-49-6047K

Material: SU304/Zinc Alloy
Suits for frameless tempered glass with thickness of 10-15mm
Used for different kinds of clamps and floor spring
With the finish of mirror, satin, titanium and PVD



MJ-23K

Material: SU304/Zinc Alloy
Suits for frameless tempered glass with thickness of 10-15mm
Used for different kinds of clamps and floor spring
With the finish of mirror, satin, titanium and PVD




■ Material: SS304, SS316 ■ Finish: satin finish (S), polish finish(P)




MJ-23

Material: SU304/Zinc Alloy
Suits for frameless tempered glass with thickness of 10-15mm
Used for different kinds of clamps and floor spring
With the finish of mirror, satin, titanium and PVD




MJ-33

Material: SU304/Zinc Alloy
Suits for frameless tempered glass with thickness of 10-15mm
Used for different kinds of clamps and floor spring
With the finish of mirror, satin, titanium and PVD




MJ-33K

Material: SU304/Zinc Alloy
Suits for frameless tempered glass with thickness of 10-15mm
Used for different kinds of clamps and floor spring
With the finish of mirror, satin, titanium and PVD




MJ-20

Material: SU304/Zinc Alloy
Suits for frameless tempered glass with thickness of 10-15mm
Used for different kinds of clamps and floor spring
With the finish of mirror, satin, titanium and PVD



MJ-20K

Material: SU304/Zinc Alloy
Suits for frameless tempered glass with thickness of 10-15mm
Used for different kinds of clamps and floor spring
With the finish of mirror, satin, titanium and PVD



■ Material: SS304, SS316 ■ Finish: satin finish (S), polish finish(P)



LMS-38

Material: Aluminium
Suits for frameless tempered glass with thickness of 10-15mm
Used for different kinds of clamps and floor spring
With the finish of mirror, satin, titanium and PVD




LMS-39

Material: Aluminium
Suits for frameless tempered glass with thickness of 10-15mm
Used for different kinds of clamps and floor spring
With the finish of mirror, satin, titanium and PVD




LMS-37

Material: Aluminium
Suits for frameless tempered glass with thickness of 10-15mm
Used for different kinds of clamps and floor spring
With the finish of mirror, satin, titanium and PVD



LMS-40

Material: Aluminium
Suits for frameless tempered glass with thickness of 10-15mm
Used for different kinds of clamps and floor spring
With the finish of mirror, satin, titanium and PVD




■ Material: SS304, SS316 ■ Finish: satin finish (S), polish finish(P)




LMJ-32

Material: Aluminium
Suits for frameless tempered glass with thickness of 10-15mm
Used for different kinds of clamps and floor spring
With the finish of mirror, satin, titanium and PVD




LMJ-36

Material: Aluminium
Suits for frameless tempered glass with thickness of 10-15mm
Used for different kinds of clamps and floor spring
With the finish of mirror, satin, titanium and PVD



LMJ-31

Material: Aluminium
Suits for frameless tempered glass with thickness of 10-15mm
Used for different kinds of clamps and floor spring
With the finish of mirror, satin, titanium and PVD




■ Material: SS304, SS316 ■ Finish: satin finish (S), polish finish(P)




GD-37-9055

Material:SUS304/SUS316/Zinc Alloy
Finish:Satin/Polish/PVD




YS-08-9055

Material:SUS304/SUS316/Zinc Alloy
Door thickness:8-12mm
Door width:800-1000mm
Load bearing:50kg
Finish:mirror and satin
Feature when the door is closed to 25° ,
it will closed automatically.




YS-09-9055

Material:SUS304/SUS316/Zinc Alloy
Door thickness:8-12mm
Door width:800-1000mm
Load bearing:50kg
Finish:mirror and satin
Feature when the door is closed to 25° ,
it will closed automatically.




YS-10-9055

Material:SUS304/SUS316/Zinc Alloy
Door thickness:8-12mm
Door width:800-1000mm
Load bearing:50kg
Finish:mirror and satin
Feature when the door is closed to 25° ,
it will closed automatically.




YS-11-9055

Material:SUS304/SUS316/Zinc Alloy
Door thickness:8-12mm
Door width:800-1000mm
Load bearing:50kg
Finish:mirror and satin
Feature when the door is closed to 25° ,
it will closed automatically.



YS-12-9055

Material:SUS304/SUS316/Zinc Alloy
Door thickness:8-12mm
Door width:800-1000mm
Load bearing:50kg
Finish:mirror and satin
Feature when the door is closed to 25° ,
it will closed automatically.




■ Material: SS304, SS316 ■ Finish: satin finish (S), polish finish(P)




GD-38-9055

Material:SUS304/SUS316/Zinc Alloy
Finish:Satin/Polish/PVD




YS-04-9055

Material:SUS304/SUS316/Zinc Alloy
Door thickness:8-12mm
Door width:800-1000mm
Load bearing:50kg
Finish:mirror and satin
Feature when the door is closed to 25° ,
it will closed automatically.




YS-03-9055

Material:SUS304/SUS316/Zinc Alloy
Door thickness:8-12mm
Door width:800-1000mm
Load bearing:50kg
Finish:mirror and satin
Feature when the door is closed to 25° ,
it will closed automatically.




YS-05-9055

Material:SUS304/SUS316/Zinc Alloy
Door thickness:8-12mm
Door width:800-1000mm
Load bearing:50kg
Finish:mirror and satin
Feature when the door is closed to 25° ,
it will closed automatically.




YS-06-9055

Material:SUS304/SUS316/Zinc Alloy
Door thickness:8-12mm
Door width:800-1000mm
Load bearing:50kg
Finish:mirror and satin
Feature when the door is closed to 25° ,
it will closed automatically.



YS-07-9055

Material:SUS304/SUS316/Zinc Alloy
Door thickness:8-12mm
Door width:800-1000mm
Load bearing:50kg
Finish:mirror and satin
Feature when the door is closed to 25° ,
it will closed automatically.



■ Material: SS304, SS316 ■ Finish: satin finish (S), polish finish(P)



YS-28

Material:SUS304/SUS316/Zinc Alloy
Finish:Satin/Polish/PVD




YS-29

Material:SUS304/SUS316/Zinc Alloy
Finish:Satin/Polish/PVD




YS-38

Material:SUS304/SUS316/Zinc Alloy
Finish:Satin/Polish/PVD




YS-31

Material:SUS304/SUS316/Zinc Alloy
Finish:Satin/Polish/PVD




YS-30

Material:SUS304/SUS316/Zinc Alloy
Finish:Satin/Polish/PVD




YS-32

Material:SUS304/SUS316/Zinc Alloy
Finish:Satin/Polish/PVD




YS-37

Material:SUS304/SUS316/Zinc Alloy
Finish:Satin/Polish/PVD




YS-23

Material:SUS304/SUS316/Zinc Alloy
Finish:Satin/Polish/PVD



■ Material: SS304, SS316 ■ Finish: satin finish (S), polish finish(P)



GD-17-4545

Material:SUS304/SUS316/Zinc Alloy
Finish:Satin/Polish/PVD



GD-10-4545

Material:SUS304/SUS316/Zinc Alloy
Finish:Satin/Polish/PVD




GD-11-4545

Material:SUS304/SUS316/Zinc Alloy
Finish:Satin/Polish/PVD




GD-12-4545

Material:SUS304/SUS316/Zinc Alloy
Finish:Satin/Polish/PVD




GD-13-4545

Material:SUS304/SUS316/Zinc Alloy
Finish:Satin/Polish/PVD




GD-14-4545

Material:SUS304/SUS316/Zinc Alloy
Finish:Satin/Polish/PVD



GD-15-4545

Material:SUS304/SUS316/Zinc Alloy
Finish:Satin/Polish/PVD



GD-16-4545

Material:SUS304/SUS316/Zinc Alloy
Finish:Satin/Polish/PVD



GD-37-4545

Material:SUS304/SUS316/Zinc Alloy
Finish:Satin/Polish/PVD




GD-30-4545

Material:SUS304/SUS316/Zinc Alloy
Finish:Satin/Polish/PVD




GD-31-4545

Material:SUS304/SUS316/Zinc Alloy
Finish:Satin/Polish/PVD




GD-32-4545

Material:SUS304/SUS316/Zinc Alloy
SteelFinish:Satin/Polish/PVD




GD-33-4545

Material:SUS304/SUS316/Zinc Alloy
Finish:Satin/Polish/PVD




GD-34-4545

Material:SUS304/SUS316/Zinc Alloy
Finish:Satin/Polish/PVD



GD-35-4545

Material:SUS304/SUS316/Zinc Alloy
Finish:Satin/Polish/PVD




GD-36-4545

Material:SUS304/SUS316/Zinc Alloy
Finish:Satin/Polish/PVD



GD-39-4545

Material:SUS304/SUS316/Zinc Alloy
Finish:Satin/Polish/PVD




GD-42-4545

Material:SUS304/SUS316/Zinc Alloy
Finish:Satin/Polish/PVD




GD-43-4545

Material:SUS304/SUS316/Zinc Alloy
Finish:Satin/Polish/PVD




GD-40-4545

Material:SUS304/SUS316/Zinc Alloy
Finish:Satin/Polish/PVD



GD-41-4545

Material:SUS304/SUS316/Zinc Alloy
Finish:Satin/Polish/PVD



SONLAM

HANDLE SERIES





LS-01

15x30/350
19x38x500/600/800
25x45x500/600/800



LS-02

32x305/500
32x250x350/600/800



LS-03

Φ25x300
Φ38x600



LS-04

Φ25x300
Φ32x600



LS-05

Φ25x300
Φ32x500
Φ38x600



LS-06

Φ38x800



LS-07

Φ32x500
Φ32x600



LS-08

19x38x600
25x45x600



LS-211

Φ32x305/450/600/800/1000



LS-10

Φ32x600
Φ32x800
Φ32x1200



LS-77

25x25
25x38



LS-12

Φ25x300
Φ32x500
Φ38x600/800



LS-13

Φ32x450



LS-14

Φ32x450



LS-15

Φ25x300



LS-16

Φ25x300
Φ32x500
Φ38x600/800



SJLS-101



SJLS-102



SJLS-103



LS-36



LS-17
38x800



LS-18
Φ25x300
Φ32x600
Φ35x800/1200



LS-19
Φ38x600
Φ38x800



LS-20
Φ25x300
Φ25x450



LS-65
Φ35x1500



LS-21
Φ25x200



LS-22
Φ25x200



LS-23
Φ25x300



LS-24
Φ25x200

■ Material: SS304, SS316 ■ Finish: satin finish (S), polish finish(P)




LS-25

Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish/PVD




LS-26

Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish/PVD



LS-33

Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish/PVD




LS-34

Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish/PVD



LS-35

Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish/PVD




■ Material: SS304, SS316 ■ Finish: satin finish (S), polish finish(P)



XLS-29

Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish/PVD




XLS-30

Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish/PVD



XLS-31

Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish/PVD



XLS-32


Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish/PVD





XLS-01-3035

Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish/PVD



XLS-02-3344

Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish/PVD



XLS-03-3328

Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish/PVD



XLS-04-3330

Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish/PVD



XLS-05-3522

Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish/PVD



XLS-06-3030

Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish/PVD






XLS-07-3030

Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish/PVD




XLS-11-3835

Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish/PVD




XLS-13-4540

Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish/PVD



XLS-14-3230

Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish/PVD




LS-21-3030

Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish/PVD



LS-10-3030

Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish/PVD




LS-15-3030

Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish/PVD




LS-30-3030

Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish/PVD



LS-19-3030

Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish/PVD



LS-124-4929

Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish/PVD




■ Material: SS304, SS316 ■ Finish: satin finish (S), polish finish(P)



LG-10

Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish/PVD




LG-11

Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish/PVD




LG-12

Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish/PVD



LG-13

Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish/PVD




■ Material: SS304, SS316 ■ Finish: satin finish (S), polish finish(P)




LG-14

Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish/PVD




LG-15

Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish/PVD




LG-16

Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish/PVD



LG-17


Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish/PVD





PJ-01

Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish/PVD
Matching round pipe:φ19/φ25




PJ-02

Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish/PVD
Matching round pipe:φ19/φ25




PJ-05

Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish/PVD
Matching round pipe:φ19/φ25




PJ-03

Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish/PVD
Matching round pipe:ø19/ø25




PJ-04

Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish/PVD
Matching round pipe:ø19/ø25




PJ-14

Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish/PVD
Matching The Round Pipe:φ19/φ25mm




PJ-30

Material: SUS304/SUS316 Stainless Steel
Finish: Satin/Polish/PVD
Matching The Round Pipe: $\phi 19/\phi 25\text{mm}$




PJ-29

Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish/PVD
Matching The Round Pipe:φ19/φ25mm




PJ-23

Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish/PVD
Matching The Round Pipe:φ19/φ25mm



PJ-07

Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish/PVD
Matching The Round Pipe:φ19/φ25mm




■ Material: SS304, SS316 ■ Finish: satin finish (S), polish finish(P)




PJ-08

Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish/PVD
Matching The Round Pipe:φ19/φ25mm




PJ-06

Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish/PVD
Matching The Round Pipe:φ19/φ25mm




PJ-25

Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish/PVD
Matching The Round Pipe:φ19/φ25mm




PJ-41

Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish/PVD
Matching The Round Pipe:φ19/φ25mm



PJ-26

Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish/PVD
Matching The Square Tube:30x10mm/40x15mm




■ Material: SS304, SS316 ■ Finish: satin finish (S), polish finish(P)




PJ-27

Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish/PVD
Matching The Square Tube:30x10mm




PJ-31

Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish/PVD
Matching The Square Tube:30x10mm/40x15mm




GH-1-4

Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish/PVD
Matching The Square Tube:30x10mm/40x15mm




PJ-49

Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish/PVD
Matching The Square Tube:30x10mm/40x15mm




PJ-52

Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish/PVD
Matching The Square Tube:30x10mm/40x15mm



PJ-53

Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish/PVD
Matching The Square Tube:30x10mm/40x15mm



■ Material: SS304, SS316 ■ Finish: satin finish (S), polish finish(P)



PJ-18

Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish/PVD
Matching The Square Tube:30x10mm




PJ-50

Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish/PVD
Matching The Square Tube:30x10mm




PJ-12

Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish/PVD
Matching The Square Tube:15x15mm



PJ-13

Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish/PVD
Matching The Square Tube:15x15mm




PJ-82

Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish/PVD
Matching The Square Tube:15x15mm



ZH-83

Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish/PVD
Matching The Square Tube:15x15mm




■ Material: SS304, SS316 ■ Finish: satin finish (S), polish finish(P)




BJ-130

Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish




BJ-127

Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish




BJ-128

Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish




BJ-129

Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish



BJ-131

Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish




■ Material: SS304, SS316 ■ Finish: satin finish (S), polish finish(P)




ZH-86

Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish/PVD
Matching The Square Tube:15x15mm



ZH-61

Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish/PVD
Matching The Square Tube:15x15mm




ZH-87

Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish/PVD
Matching The Square Tube:15x15mm




ZH-62

Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish/PVD
Matching The Square Tube:15x15mm




PJ-10

Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish/PVD
Matching The Round Pipe:φ19/φ25mm



PJ-11

Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish/PVD
Matching The Round Pipe:φ19/φ25mm




■ Material: SS304, SS316 ■ Finish: satin finish (S), polish finish(P)




PJ-100

Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish/PVD
Matching The Square Tube:φ19/φ25mm




PJ-101

Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish/PVD
Matching The Round Pipe:φ19/φ25mm




PJ-40


Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish/PVD




GH-38

Material:SUS304/SUS316 Stainless Steel
Finish:Satin/Polish/PVD






标准配置 Standard Application



- | | | |
|-------------------|------------------------|-------|
| 1. 管座 | 2. 防撞胶 | 3. 滑轮 |
| 4. 止限器 | | |
| 1. Pipe bracket | 2. Anti-collision glue | |
| 3. Sliding roller | 4. Floor guide | |

玻璃厚度: 8-10mm
Glass Thickness: 8-10mm
移门宽度: <1500mm
Glass Door Width: <1500mm
最大承重: <65kg
Max Load: <65kg



Rectangular sliding door: **YM-02**

YM-02-1-2



YM-02-2-2



YM-02-3-2



YM-02-4-2



YM-02-5-2



YM-02-4-1



YM-02-7-1




YM-02-8-1 3010



30X10方管帶防跳杆平面安裝圖

30X10 installation of square pipe with jumping-proof pillar





- | | |
|------------|---------------------------|
| 1.管套 | 1.Tube Base |
| 2.30x10管导轨 | 2.30x10mm Tube Guide Rail |
| 3.管夹 | 3.Tube Clamp |
| 4.定位器 | 4.Clamper |
| 5.防跳钉 | 5.Anti-skip Nail |
| 6.偏心轮 | 6.Eccentric Wheel |



30X10方管帶防跳杆截面安裝圖

30X10 Section installation of square pipe with jumping-proof pillar



■ Material: SS304, SS316 ■ Finish: satin finish (S), polish finish(P)



Rectangular sliding door: **YM-06**

YM-06-1-4



YM-06-2-4



YM-06-3-4



YM-06-4-2



YM-06-5-1



YM-06-6-2



YM-06-3-2



YM-06-8-1
3010




YM-069-1 ϕ 8



30X10方管帶防跳杆平面安裝圖

Plane Installation Diagram(30x10mm Square Tube With Jumping-Pillar)





- | | |
|------------|---------------------------|
| 1.管套 | 1.Tube Base |
| 2.30x10管导轨 | 2.30x10mm Tube Guide Rail |
| 3.管夹 | 3.Tube Clamp |
| 4.定位器 | 4.Clamper |
| 5.防跳杆 | 5.Anti-skip Pole |
| 6.偏心轮 | 6.Eccentric Wheel |



30X10方管带防跳杆截面安装图

Section Installation Diagram(30x10mm Square Tube With Jumping-Pillar)

**SONLAM**

Rectangular sliding door: YM-04



YM-04-1-2



YM-04-2-2



YM-04-3-2



YM-04-4-2



YM-04-5-2



YM-04-6-1



YM-04-7-1




YM-04-8-1 $\phi 25$



Ø25管浴室吊轮平面安装图


Installation of Ø25 pipe bathroom hanging wheel



1. 偏心轮
2. 管夹
3. 防跳钉
4. 定位器
5. 管套
6. Ø25管导轨

Ø25管浴室吊轮截面安装图

Section installation of Ø25 pipe bathroom hanging wheel



1. 活动玻璃
2. 固定玻璃
3. 管头
4. 偏心轮

1. Moveable Glass
2. Fixed Glass
3. Tube End Cap
4. Eccentric Wheel



Rectangular sliding door: YM-08



YM-08-1-2

YM-08-2-2

YM-08-3-2

YM-08-4-2

YM-08-5-1




YM-08-6-1

YM-08-7-1

YM-08-8-1 $\phi 25$

Ø25管平面安装图

Plane Installation Diagram($\phi 25$ mm Pipe)



Rectangular sliding door: YM-03



YM-03-6-1

YM-03-1-2

YM-03-2-2

YM-03-7-1

YM-03-3-2



YM-03-4-2


YM-03-5-2

YM-03-8-1

YM-03-9-1 4015

40X15方管平面安装图

Plane Installation Diagram (40x15mm Square Tube)




1. 管套
2. $\phi 40 \times 15$ 管导轨
3. 管夹
4. 定位器
5. 正心轮

1. base for the tube
2. 40x15mm tube guide rail
3. tube clamp
4. clumper
5. centric wheel

40X15方管截面安装图

40X15 Sectionl Installation Diagram(40x15mm Square Tube)



Rectangular sliding door: YM-09



YM-09-1-2

YM-09-2-2

YM-09-3-2

YM-09-4-2




YM-09-5-1

YM-09-6-1 $\phi 25$



$\phi 25$ 管平面安装图

Plane Installation Diagram ($\phi 25$ mm Pipe)



1. 吊轮
2. 指摆器
3. 管夹
4. 管套
5. 定位器
6. 暗拉手
7. $\phi 25$ 管导轨

1. Sliding Door Roller
2. Floor Guide
3. Tube Clamp
4. Base For The Tubel
5. Clamper
6. Handle
7. 25mm Tube Guide Rail







LYF-01

Rectangle single door

Glass Thickness	Regular size	Available size of customization		
		W	L	H
8/10mm	900x1200x1900mm	800~1200mm	1000~1800mm	1900~2100mm



A		PJ-22-8392 Material: SUS304/SUS316 Stainless Steel Finish: Satin/Polish/PVD	
B		PJ-25 Material: SUS304/SUS316 Stainless Steel Finish: Satin/Polish/PVD	
C		YS-11-9055 Material: SUS304/SUS316 Stainless Steel Finish: Satin/Polish/PVD	
D		GD-43 Material: SUS304/SUS316 Stainless Steel Finish: Satin/Polish/PVD	
E		G-01 Material: SUS304/SUS316 Stainless Steel Finish: Satin/Polish/PVD	
F		PJ-32 Material: Plastic Finish: PVD	
G		PJ-33 Material: Plastic Finish: PVD	
H		LS-30 Material: Plastic Finish: PVD	


LYF-02

Rectangular sliding door

Glass Thickness	Regular size	Available size of customization		
		W	L	H
8/10mm	900x1200x1900mm	800~1200mm	1000~1800mm	1900~2100mm



A		GH-1-4 Material:SUS304/SUS316 Stainless Steel Finish:Satin/Polish/PVD	
B		GH-68 Material:SUS304/SUS316 Stainless Steel Finish:Satin/Polish/PVD	
C		PJ-31 Material:SUS304/SUS316 Stainless Steel Finish:Satin/Polish/PVD	
D		GH-28 Material:SUS304/SUS316 Stainless Steel Finish:Satin/Polish/PVD	
E		GH-38 Material:SUS304/SUS316 Stainless Steel Finish:Satin/Polish/PVD	
F		GH-25 Install tool	
G		G-02 Material:SUS304/SUS316 Stainless Steel Finish:Satin/Polish/PVD	
H		PJ-32 Material:Plastic Finish:PVD	
I		PJ-33 Material:Plastic Finish:PVD	
J		LS-47 Material:Plastic Finish:PVD	


LYF-03

Rectangular sliding door

Glass Thickness	Regular size	Available size of customization		
		W	L	H
8/10mm	900x1200x1900mm	800~1200mm	1000~1800mm	1900~2100mm



A		GH-13-100 Material:SUS304/SUS316 Stainless Steel Finish:Satin/Polish/PVD	
B		GH-28 Material:SUS304/SUS316 Stainless Steel Finish:Satin/Polish/PVD	
C		GD-12-4545 Material:SUS304/SUS316 Stainless Steel Finish:Satin/Polish/PVD	
D		GD-43 Material:SUS304/SUS316 Stainless Steel Finish:Satin/Polish/PVD	
E		GH-39 Material:SUS304/SUS316 Stainless Steel Finish:Satin/Polish/PVD	
F		LS-31 Material:SUS304/SUS316 Stainless Steel Finish:Satin/Polish/PVD	
G		GH-38 Material:SUS304/SUS316 Stainless Steel Finish:Satin/Polish/PVD	
H		GH-25 Install tool	
I		G-01 Material:SUS304/SUS316 Stainless Steel Finish:Satin/Polish/PVD	
J		GH-14 Material:SUS304/SUS316 Stainless Steel Finish:Satin/Polish/PVD	
K		PJ-32 Material:Plastic Finish:PVD	
L		PJ-33 Material:Plastic Finish:PVD	




LYF-04

Diamond single door


Glass Thickness	Regular size	Available size of customization		
		W	L	H
8/10mm	900x900x1900mm	900~1500mm	900~1500mm	1900~2100mm



A		YS-05-9055 Material:SUS304/SUS316 Stainless Steel Finish:Satin/Polish/PVD	
B		GD-43 Material:SUS304/SUS316 Stainless Steel Finish:Satin/Polish/PVD	
C		PJ-30 Material:SUS304/SUS316 Stainless Steel Finish:Satin/Polish/PVD	
D		PJ-34 Material:SUS304/SUS316 Stainless Steel Finish:Satin/Polish/PVD	
E		PJ-32 Material:Plastic Finish:PVD	
F		PJ-33 Material:Plastic Finish:PVD	
G		LS-48 Material:Plastic Finish:PVD	



标准配置 Standard Application



标准配置 Standard Application



木移门吊轮

材质: 优质SS304

表面处理: 砂光/镜光

适合木门厚度: 35-50mm

适用: $\Phi 25$ 管


Wooden door lifting wheel


Material: high quality SS304

Surface treatment: Sanding/mirror light

Suitable for wood door thickness: 35-50mm

Apply to: $\Phi 25$ tube






JT-01

JT-02

JT-03

JT-04




JT-05

JT-06

JT-07

JT-08




JT-09

JT-10

JT-11

JT-12




JT-13

JT-14

JT-15

JT-16




JT-17

JT-18

JT-19

JT-20




JT-21

JT-22

JT-23

JT-24




JT-25

JT-26

JT-27

JT-28



JT-29

JT-30

JT-31

JT-32




■ Material: SS304, SS316 ■ Finish: satin finish (S), polish finish(P)

<http://www.sonlam.net>

SONLAM


DL-01-12050

Clamp material:stainless steel
Finish:stainless steel lined
Door thickness:10mm-12mm
Load bearing:8wheels-100kg,4wheels-90kg
Packaging:skinpacking,box,20pcs/ctn.




DL-02-6594

Clamp material:stainless steel
Finish:stainless steel lined
Door thickness:10mm-12mm
Load bearing:8wheels-100kg,4wheels-90kg
Packaging:skinpacking,box,20pcs/ctn.




DL-03-19155

Clamp material:stainless steel
Finish:stainless steel lined
Door thickness:10mm-12mm
Load bearing:8wheels-100kg,4wheels-90kg
Packaging:skinpacking,box,20pcs/ctn.




DL-04-19155

Clamp material:stainless steel
Finish:stainless steel lined
Door thickness:10mm-12mm
Load bearing:8wheels-100kg,4wheels-90kg
Packaging:skinpacking,box,20pcs/ctn.



DL-05-7040

Clamp material:stainless steel
Finish:stainless steel lined
Door thickness:10mm-12mm
Load bearing:8wheels-100kg,4wheels-90kg
Packaging:skinpacking,box,20pcs/ctn.




DL-08

Clamp material:stainless steel
Finish:stainless steel lined
Door thickness:10mm-12mm
Load bearing:8wheels-100kg,4wheels-90kg
Packaging:skinpacking,box,20pcs/ctn.



DL-05-25035

Clamp material:stainless steel
Finish:stainless steel lined
Door thickness:10mm-12mm
Load bearing:8wheels-100kg,4wheels-90kg
Packaging:skinpacking,box,20pcs/ctn.



DL-07-12035

Clamp material:stainless steel
Finish:stainless steel lined
Door thickness:10mm-12mm
Load bearing:8wheels-100kg,4wheels-90kg
Packaging:skinpacking,box,20pcs/ctn.

