

SONLAM

Door Hardware / Hinge / Fittings

门控五金 / 合页 / 配件

FOSHAN SONLAM HARDWARE FACTORY
FUZHOU SONLAM BUILDING MATERIALS CO.,LTD

TEL: 0591-87278561

WeChat: Crystal_Sonlam

WhatsApp:0086-18050157190

Email:sonlam@sonlam.net

Factory Address: No. 7, Guixingwei Industrial Zone, Shiling Village, Shishan Town,
Nanhai District, Foshan City, Guangdong Province, China

Head Office Address: Building 1, No. 10, Jinzhou North Road, Cangshan District,
Fuzhou, Fujian, China



<https://www.sonlam.net>

FOSHAN SONLAM HARDWARE FACTORY
FUZHOU SONLAM BUILDING MATERIALS CO.,LTD

Company Profile

SONLAM, Founded in 2005, is a production-oriented enterprise specializing in the manufacture and sale of various building materials products, including architectural hardware, door and window hardware, control hardware, kitchen and bathroom fixtures, glass curtain wall and staircase hardware, smart home systems, and precision metal components. Over the years of development, we have gradually established a comprehensive system integrating research and development, design, production, manufacturing, sales, export, international warehousing, and overseas direct sales, and possess a complete and extensive product supply chain.

Enterprise development:

The head office is located in Fujian, China, and the factory is situated in Guangdong, China. We possess advanced metal precision machining equipment and a range of hardware processing equipment. As well as experienced product designers and production technicians. We have two warehousing centers in Guangdong Province and one operational warehousing center in Jiangsu Province.

Global Presence:

Our products are exported to over 130 countries worldwide, and we also provide OEM (Original Equipment Manufacturing) services to customers globally.

Sample service:

Please feel free to contact us if any of our products meet your needs; we would be happy to provide samples. We are confident that any inquiries or requests you may have will receive prompt attention.

Overseas Warehousing:

In order to better serve our global customers, we will gradually establish large-scale warehousing centers in key countries to provide customers with ample inventory services and on-hand product guarantees. This will maximize our ability to meet customers' sales needs in their respective markets. If you have significant sales volume but often face stock shortages due to insufficient on-hand inventory, or if your order cycle is long and cannot meet your market sales needs, please consider joining us. We will set up a warehousing center in your country to provide you with ample on-hand inventory and robust systematic support, maximizing your market sales potential.

Integrity in Service:

SONLAM has earned high recognition and praise from customers worldwide through its exceptional product quality and sincere, trustworthy service. In the future, we will continue to provide convenient and attentive services to our global customers, striving for better achievements.

公司简介

升澜，成立于2005年。是一家专业生产和销售各种建筑五金、门窗及控制五金、厨房卫浴、玻璃幕墙和楼梯五金、智能家居、精密五金零部件等建材产品的生产型企业。经过多年的发展，我们逐渐形成以研发设计、生产制造、销售出口、国际仓储、海外直营为一体的综合性体系，并拥有完整且庞大的产品供应链。

企业发展：

总公司位于中国福建，工厂位于中国广东，拥有先进的金属精密加工设备和一系列五金加工设备。以及经验丰富的产品设计人员和生产技术人员。在广东省拥有两个仓储中心，在江苏省拥有一个运营仓储中心。

全球布局：

我们的产品出口全球130多个国家，同时也向全球客户提供OEM贴牌代工服务。

样品服务：

如果有任何产品满足您的需求，请随时与我们联系。我们将向您提供样品。我们相信您的任何询问或要求都会得到及时的关注。

海外仓储：

为了更好的服务于全球客户，我们将逐步在重点国家设立大型仓储中心，向客户提供充足的商品库存服务和现货保障。最大程度上满足客户在所在国市场的销售。如果你的销量很大，但现货库存不足经常缺货；订单周期长，无法满足你的市场销售。请加盟我们，我们将在你的国家设立仓储中心，为你提供充足的现货库存，和强大的系统性保障，最大程度上满足你的市场销售。

诚信服务：

升澜凭借卓越的产品品质、至诚至信的服务，得到全球客户的高度认可和好评。未来，我们将持续向全球客户提供便捷和周到的服务，以争取获得更好的成绩。

目录 Contents

6寸液压合页H型 6" Hydraulic Hinge-H type		P.03	6寸阻尼液压合页 WZ6-1 6" Hydraulic Damping Hinge WZ6-1		P.14	三维隐藏可调合页 MY80-2 3D Concealed Adjustable Hinge MY80-2		P.27	锌合金门锁-YS66 Zinc alloy door lock-YS66		P.42
6寸液压合页-C型 6" Hydraulic Hinge-C type		P.04	6寸液压合页 MK6-1 6" Hydraulic Hinge MK6-1		P.15	三维隐藏可调合页 MY100-1 3D Concealed Adjustable Hinge MY100-1		P.28	锌合金门锁-AY57 Zinc alloy door lock-AY57		P.43
6寸液压合页-E型 6" Hydraulic Hinge-E type		P.05	三维隐藏液压合页 MD-1 3D Concealed Hydraulic Hinge MD-1		P.17	不锈钢三维隐藏可调合页 MY100-2-B Stainless Steel 3D Concealed Adjustable Hinge MY100-2-B		P.29	锌合金门锁-T51 Zinc alloy door lock-T51		P.44
6寸偏轴液压合页-F型 6" Hydraulic Offset Axis Hinge-F type		P.06	三维隐藏液压合页 MD-2 3D Concealed Hydraulic Hinge MD-2		P.18	三维隐藏可调合页 MY200-2-B 3D Concealed Adjustable Hinge MY200-2-B		P.30	锌合金门锁-AY61 Zinc alloy door lock-AY61		P.46
5寸平开液压合页 WE5-26-2 5" Casement Hinge WE5-26-2		P.07	三维隐藏可调合页 MY40-1 3D Concealed Adjustable Hinge MY40-1		P.20	平头单开弹簧合页 Single-Action Spring Hinge		P.31	锌合金门锁 A5-530 Zinc alloy door lock A5-530		P.47
5寸平开阻尼液压合页 WE5-26-3 (18.5轴) 5" Casement Hydraulic Damping Hinge WE5-26-3 (Φ18.5 Shaft)		P.08	三维隐藏可调合页 MY40-2 3D Concealed Adjustable Hinge MY40-2		P.21	平头双开弹簧合页 Double-Action Spring Hinge		P.32	锌合金门锁 A3-288 Zinc alloy door lock A3-288		P.47
5寸字母液压合页 WEZ5-26-2 5" Hydraulic Flap Hinge WEZ5-26-2		P.09	三维隐藏可调合页 MY40-3 3D Concealed Adjustable Hinge MY40-3		P.22	高头双开弹簧合页 Single-Action Spring Hinge		P.33	锌合金门锁 A3-233 Zinc alloy door lock A3-233		P.48
5寸字母阻尼液压合页 WEZ5-26-3 (18.5轴) 5" Hydraulic Flap Damping Hinge WEZ5-26-3 (Φ18.5 Shaft)		P.10	三维隐藏可调合页 MY40D-2 3D Concealed Adjustable Hinge MY40D-2		P.23	90°定位弹簧合页 90° Positioning Spring Hinge		P.35	锌合金门锁 A3-115 Zinc alloy door lock A3-115		P.48
6寸平开液压合页 WE6-26-2 6" Hydraulic Casement Hinge WE6-26-2		P.11	三维隐藏可调合页 MY60-1 3D Concealed Adjustable Hinge MY60-1		P.24	子母弹簧合页 Spring-Flap Spring Hinge		P.36	锌合金门锁 A29-533 Zinc alloy door lock A29-533		P.49
5寸平开工程合页 WD5-35-2 5" Heavy-Duty Casement Hinge WD5-35-2		P.12	三维隐藏可调合页 MY60-2 3D Concealed Adjustable Hinge MY60-2		P.25	日式3D可调节平开合页 Japan Style 3D Adjustable Flush Open Hinge		P.38	锌合金门锁 A6-292 Zinc alloy door lock A6-292		P.49
5寸阻尼液压合页 WZ5-1 5" Hydraulic Damping Hinge WZ5-1		P.13	三维隐藏可调合页 MY80-1 3D Concealed Adjustable Hinge MY80-1		P.26	304不锈钢合页 304 Stainless Steel Hinge		P.39			

产品简介与功能说明 Product Introduction and Function Description

1. 本产品集闭门器、合页、门吸、定位器三合一功能，经高强度测试，门扇可开启 30 万次以上。

1. This product integrates the functions of door closer, hinge, door suction and positioner. After high-strength test, ensure that the door is opening more than 300000 times.

2. 本产品适用于各种木门、塑钢门、铝门等。各门段功能如下：

2. This product is suitable for all kinds of wooden doors, plastic steel doors, aluminum doors and so on. The function of each door segment is as follows:

① 普通锁型、电子锁型

Common Lock Type, Electronic Lock Type

175° - 90° 任意停门段角度 / Free Stop Section

85° - 30° 快速闭门段角度 / Fast Closing Section

30° - 15° 慢闭门段角度 / Slow Closing Section

15° - 0° 加入锁段角度 / Locking Section


② 无锁型 (隐型门)

Lock-free type (hidden door)

175° - 90° 任意停门段角度 / Free Stop Section

85° - 30° 快速闭门段角度 / Fast Closing Section

30° - 0° 慢闭门段角度 / Slow Closing Section



各门类定位功能示意图

Schematic diagram of each door segment positioning function

3. 关门力度可任意调节。

3. The closing force can be adjusted at will.


4. 具有液压、三速缓冲、吸收冲击功能，防止因大风吹门关门造成的门扇损坏、制造噪音和无意夹伤人等。

4. It has hydraulic, three-speed buffering and shock absorption function to prevent door leaf damage, noise and unintentional pinch caused by high wind blowing door closing.


5. 静音、入锁功能可随时转换，使用更便利。

5. The mute and lock functions can be changed at any time, which is more convenient to use.

合页的安装 Hinge Installation



开门方向 Door Swinging Direction



判断左开门还是右开门

人站在门外面，面对着门，把门往里推，装左边的门扇为左开门合页，装右边的门扇为右开门合页。

Determine whether to open the door left or right. In simple terms, hinges mounted on which side (right or left) is right to open or left open; the door is inside, is outside the sliding door.

门扇与门框开槽：

页片开槽宽度 35±0.5mm

双边开槽 3mm 深，门缝间隙 2mm

单边开槽 3mm 深，门缝间隙 4-5mm

单边开槽 5-6mm 深，门缝间隙 2mm

不开槽直接安装，门缝间隙 7-8mm

Slotted door and door frames

Slotted hinge width 35±0.5mm

Bilateral slotted 3mm deep, door gap 2mm

Single side slotted 3mm deep, door gap 4-5mm


Single side slotted 5-6mm deep, door gap 2mm

Direct installation without slotting, with a gap of 7-8mm.

特别提示

安装合页时箭头朝上。

The arrow with "↑" must be installed upwards.



开门方向示意图
Schematic diagram of door opening direction



A 右内开
Right-hand
inward opening
合页选R右开
Hinge side: R (Right)



B 右外开
Right-hand
outward opening
合页选L左开
Hinge side: L (Left)



C 左外开
Left-hand
outward opening
合页选R右开
Hinge side: R (Right)



D 左内开
Left-hand
inward opening
合页选L左开
Hinge side: L (Left)

6寸液压合页H型 不分左右 6" Hydraulic Hinge-H type Non-handed Hinge



哑黑
Matte Black

珍珠银
Pearl Silver



拉丝灰
Brushed Gray



瓷白色
Porcelain White



拉丝金
Brushed Gold




黄古铜
Antique Brass



青古铜
Antique Bronze

产品参数 Product Parameters




材质	铝合金
Material	Aluminum alloy
门重	≤60kg/2片
Door weight	≤60kg/2 pcs
合页尺寸	156*33.5mm
Hinge size	156*33.5mm
门宽	≤900mm
Door width	≤900mm

表面处理 Finishes



6寸液压合页-C型 6" Hydraulic Hinge-C type



哑黑
Matte Black

珍珠银
Pearl Silver




SUS304 不锈钢
Stainless Steels



拉丝灰
Brushed Gray



拉丝金
Brushed Gold



青古铜
Antique Bronze



红古铜
Antique Copper




黄古铜
Antique Brass



瓷白色
Porcelain White

产品参数 Product Parameters



材质	铝合金
Material	Aluminum alloy
门重	≤60kg/2片
Door weight	≤60kg/2 pcs
合页尺寸	156*33.5mm
Hinge size	156*33.5mm
门宽	≤900mm
Door width	≤900mm

表面处理 Finishes



6寸液压合页-E型 6" Hydraulic Hinge-E type



哑黑
Matte Black



珍珠银
Pearl Silver

6寸偏轴液压合页-F型 6" Hydraulic Offset Axis Hinge-F type




哑黑
Matte Black




珍珠银
Pearl Silver

产品参数 Product Parameters




材质	铝合金
Material	Aluminum alloy
门重	$\leq 60\text{kg}/2\text{片}$
Door weight	$\leq 60\text{kg}/2\text{ pcs}$
合页尺寸	156*30mm
Hinge size	156*30mm
门宽	$\leq 900\text{mm}$
Door width	$\leq 900\text{mm}$




表面处理 Finishes



产品参数 Product Parameters



材质	铝合金
Material	Aluminum alloy
门重	$\leq 60\text{kg}/2\text{片}$
Door weight	$\leq 60\text{kg}/2\text{ pcs}$
合页尺寸	156*33.5mm
Hinge size	156*33.5mm
门宽	$\leq 900\text{mm}$
Door width	$\leq 900\text{mm}$



表面处理 Finishes



5寸平开液压合页 WE5-26-2 5" Hydraulic Casement Hinge WE5-26-2




哑黑
Matte Black




珍珠银
Pearl Silver

产品参数 Product Parameters



材质	铝合金
Material	Aluminum alloy
门重	≤45kg/2片
Door weight	≤45kg/2 pcs
合页尺寸	138*35mm
Hinge size	138*35mm
门宽	≤900mm
Door width	≤900mm



Schematic diagram of each door segment positioning function

表面处理 Finishes



5寸平开阻尼液压合页WE5-26-3 (18.5轴) 5" Casement Hydraulic Damping Hinge WE5-26-3 (Φ18.5 Shaft)




哑黑
Matte Black




珍珠银
Pearl Silver

产品参数 Product Parameters



材质	铝合金
Material	Aluminum alloy
门重	≤45kg/2片
Door weight	≤45kg/2 pcs
合页尺寸	140*30mm
Hinge size	140*30mm
门宽	≤900mm
Door width	≤900mm



Schematic diagram of each door segment positioning function

表面处理 Finishes



5寸子母液压合页 WEZ5-26-2 5" Hydraulic Flap Hinge WEZ5-26-2




哑黑
Matte Black




珍珠银
Pearl Silver

产品参数 Product Parameters



材质	铝合金
Material	Aluminum alloy
门重	≤45kg/2片
Door weight	≤45kg/2 pcs
合页尺寸	138*35mm
Hinge size	138*35mm
门宽	≤900mm
Door width	≤900mm



Schematic diagram of each door segment positioning function

表面处理 Finishes



5寸子母阻尼液压合页WEZ5-26-3 (18.5轴) 5" Hydraulic Flap Damping Hinge WEZ5-26-3 (Φ18.5 Shaft)




哑黑
Matte Black




珍珠银
Pearl Silver

产品参数 Product Parameters



材质	铝合金
Material	Aluminum alloy
门重	≤45kg/2片
Door weight	≤45kg/2 pcs
合页尺寸	153*30mm
Hinge size	153*30mm
门宽	≤900mm
Door width	≤900mm



Schematic diagram of each door segment positioning function

表面处理 Finishes



6寸平开液压合页 WE6-26-2 6" Hydraulic Casement Hinge WE6-26-2



哑黑
Matte Black



珍珠银
Pearl Silver

5寸平开工程合页 WD5-35-2 5" Heavy-Duty Casement Hinge WD5-35-2




哑黑
Matte Black




珍珠银
Pearl Silver

产品参数 Product Parameters




材质	铝合金
Material	Aluminum alloy
门重	≤55kg/2片
Door weight	≤55kg/2 pcs
合页尺寸	170*36mm
Hinge size	170*36mm
门宽	≤900mm
Door width	≤900mm




Schematic diagram of each door segment positioning function


表面处理 Finishes



产品参数 Product Parameters



材质	铝合金
Material	Aluminum alloy
门重	≤35kg/2片
Door weight	≤35kg/2 pcs
合页尺寸	132*30mm
Hinge size	132*30mm
门宽	≤900mm
Door width	≤900mm



Schematic diagram of each door segment positioning function

表面处理 Finishes



5寸阻尼液压合页 WZ5-1 5" Hydraulic Damping Hinge WZ5-1



哑黑
Matte Black



珍珠银
Pearl Silver

6寸阻尼液压合页 WZ6-1 6" Hydraulic Damping Hinge WZ6-1




哑黑
Matte Black




珍珠银
Pearl Silver

产品参数 Product Parameters



材质	铝合金
Material	Aluminum alloy
门重	≤40kg/2片
Door weight	≤40kg/2 pcs
合页尺寸	134*33.5mm
Hinge size	134*33.5mm
门宽	≤900mm
Door width	≤900mm




Schematic diagram of each door segment positioning function


表面处理 Finishes



产品参数 Product Parameters



材质	铝合金
Material	Aluminum alloy
门重	≤50kg/2片
Door weight	≤50kg/2 pcs
合页尺寸	156*33.5mm
Hinge size	156*33.5mm
门宽	≤900mm
Door width	≤900mm



Schematic diagram of each door segment positioning function

表面处理 Finishes



6寸液压合页 MK6-1 6" Hydraulic Hinge MK6-1




哑黑
Matte Black




珍珠银
Pearl Silver

产品参数 Product Parameters



材质	铝合金
Material	Aluminum alloy
门重	≤60kg/2片
Door weight	≤60kg/2 pcs
合页尺寸	157*33.5mm
Hinge size	157*33.5mm
门宽	≤900mm
Door width	≤900mm




Schematic diagram of each door segment positioning function

表面处理 Finishes



- ① 普通锁型、电子锁型
Common Lock Type, Electronic Lock Type
- 175° - 90° 任意停门段角度 / Free Stop Section
85° - 30° 快速闭门段角度 / Fast Closing Section
30° - 15° 慢闭门段角度 / Slow Closing Section
15° - 0° 加入锁段角度 / Locking Section

- ② 无锁型 (隐型门)
Lock-free type (hidden door)
- 175° - 90° 任意停门段角度 / Free Stop Section
85° - 30° 快速闭门段角度 / Fast Closing Section
30° - 0° 慢闭门段角度 / Slow Closing Section



各门类定位功能示意图
Schematic diagram of each door segment positioning function

MD-1和MD-2关门示意图 MD-1 and MD-2 Door Closing Diagrams

安装步骤 Installation steps



1. 标记安装铰链
需要打孔的位置
Mark install position



2. 使用工具打孔
Slot with tools



3. 螺丝固定门栓上
铰链的位置
Install screws to
the door leaf



4. 抬起门扇将铰座插入
门侧板的孔内进行固
定和调整完成安装
Lift the door to frame
hole & install screws

三维隐藏液压合页 MD-1

3D Concealed Hydraulic Hinge MD-1




液压合页 Hydraulic hinge



承重合页 Load Bearing Hinge

产品参数 Product Parameters



适用门类：隐形门、折叠门、平开门（大部分木门）

Applicable Categories:

Invisible doors, Folding doors, Flat doors (most wooden doors)

材质	锌合金
Material	Zinc alloy
门重	60kg/2个
Door weight	60kg/2 pcs
合页尺寸	177*28mm
Hinge size	177*28mm
门厚	≥35mm
Door thickness	≥35mm
门宽	≤1000mm
Door width	≤1000mm
前后调节	±1mm
Front/Rear adjustment	±1mm
上下调节	±2mm
Up/Down adjustment	±2mm
左右调节	±2mm
Left/Right adjustment	±2mm

表面处理 Finishes



三维隐藏液压合页 MD-2

3D Concealed Hydraulic Hinge MD-2




液压合页 Hydraulic hinge



承重合页 Load Bearing Hinge

产品参数 Product Parameters



适用门类：隐形门、折叠门、平开门（大部分木门）

Applicable Categories:

Invisible doors, Folding doors, Flat doors (most wooden doors)

材质	锌合金
Material	Zinc alloy
门重	80kg/2个
Door weight	80kg/2 pcs
合页尺寸	194*30mm
Hinge size	194*30mm
门厚	≥38mm
Door thickness	≥38mm
门宽	≤1000mm
Door width	≤1000mm
前后调节	±1mm
Front/Rear adjustment	±1mm
上下调节	±2mm
Up/Down adjustment	±2mm
左右调节	±2mm
Left/Right adjustment	±2mm

表面处理 Finishes



三维隐藏可调合页 MY40-1

3D Concealed Adjustable Hinge MY40-1




哑黑
Matte Black



珍珠银
Pearl Silver

产品参数 Product Parameters



适用门类：隐形门、折叠门、平开门（大部分木门）

Applicable Categories:

Invisible doors, Folding doors, Flat doors (most wooden doors)

材质 锌合金
Material Zinc alloy

门重 40kg/2个
Door weight 40kg/2 pcs

合页尺寸 150*25mm
Hinge size 150*25mm

门厚 ≥ 32 mm
Door thickness ≥ 32 mm

门宽 ≤ 1000 mm
Door width ≤ 1000 mm

前后调节 ± 1 mm
Front/Rear adjustment ± 1 mm

上下调节 ± 2 mm
Up/Down adjustment ± 2 mm

左右调节 ± 2 mm
Left/Right adjustment ± 2 mm

表面处理 Finishes



哑黑
Matte Black



灰色
Gray



珍珠银
Pearl Silver



金色
Gold



青古铜
Antique Bronze



红古铜
Antique Copper




黄古铜
Antique Brass

三维隐藏可调合页 MY40-2



珍珠银
Pearl Silver

产品参数 Product Parameters



Applicable Categories:

Invisible doors, Folding doors, Flat doors (most wooden doors)

表面处理 Finishes




黄古铜
Antique
Brass

三维隐藏可调合页 MY40-3



珍珠银
Pearl Silver

产品参数 Product Parameters



Applicable Categories:

Invisible doors, Folding doors, Flat doors (most wooden doors)

表面处理 Finishes




Antique Brass

三维隐藏可调合页 MY40D-2

3D Concealed Adjustable Hinge MY40D-2




哑黑
Matte Black



珍珠银
Pearl Silver

产品参数 Product Parameters



适用门类：隐形门、折叠门、平开门（大部分木门）

Applicable Categories:

Invisible doors, Folding doors, Flat doors (most wooden doors)

表面处理 Finishes



材质 Material	锌合金 Zinc alloy
门重 Door weight	40kg/2个 40kg/2 pcs
合页尺寸 Hinge size	150*28mm 150*28mm
门厚 Door thickness	≥35mm ≥35mm
门宽 Door width	≤1000mm ≤1000mm
前后调节 Front/Rear adjustment	±1mm ±1mm
上下调节 Up/Down adjustment	±2mm ±2mm
左右调节 Left/Right adjustment	±2mm ±2mm

三维隐藏可调合页 MY60-1

3D Concealed Adjustable Hinge MY60-1




哑黑
Matte Black



珍珠银
Pearl Silver

产品参数 Product Parameters



适用门类：隐形门、折叠门、平开门（大部分木门）

Applicable Categories:

Invisible doors, Folding doors, Flat doors (most wooden doors)

表面处理 Finishes



材质 Material	锌合金 Zinc alloy
门重 Door weight	60kg/2个 60kg/2 pcs
合页尺寸 Hinge size	140*30mm 140*30mm
门厚 Door thickness	≥38mm ≥38mm
门宽 Door width	≤1000mm ≤1000mm
前后调节 Front/Rear adjustment	±1mm ±1mm
上下调节 Up/Down adjustment	±2mm ±2mm
左右调节 Left/Right adjustment	±2mm ±2mm

三维隐藏可调合页 MY60-2

3D Concealed Adjustable Hinge MY60-2




哑黑
Matte Black

珍珠银
Pearl Silver

金色
Gold

产品参数 Product Parameters



适用门类：隐形门、折叠门、平开门（大部分木门）

Applicable Categories:

Invisible doors, Folding doors, Flat doors (most wooden doors)


表面处理 Finishes



材质 Material	锌合金 Zinc alloy
门重 Door weight	60kg/2个 60kg/2 pcs
合页尺寸 Hinge size	109*30mm 109*30mm
门厚 Door thickness	≥38mm ≥38mm
门宽 Door width	≤1000mm ≤1000mm
前后调节 Front/Rear adjustment	±1mm ±1mm
上下调节 Up/Down adjustment	±2mm ±2mm
左右调节 Left/Right adjustment	±2mm ±2mm

三维隐藏可调合页 MY80-1


3D Concealed Adjustable Hinge MY80-1



哑黑
Matte Black

珍珠银
Pearl Silver

产品参数 Product Parameters



适用门类：隐形门、折叠门、平开门（大部分木门）

Applicable Categories:

Invisible doors, Folding doors, Flat doors (most wooden doors)

表面处理 Finishes




材质 Material	锌合金 Zinc alloy
门重 Door weight	80kg/2个 80kg/2 pcs
合页尺寸 Hinge size	177*28mm 177*28mm
门厚 Door thickness	≥35mm ≥35mm
门宽 Door width	≤1000mm ≤1000mm
前后调节 Front/Rear adjustment	±1mm ±1mm
上下调节 Up/Down adjustment	±2mm ±2mm
左右调节 Left/Right adjustment	±2mm ±2mm

三维隐藏可调合页 MY80-2

3D Concealed Adjustable Hinge MY80-2




哑黑
Matte Black



珍珠银
Pearl Silver

产品参数 Product Parameters



适用门类：隐形门、折叠门、平开门（大部分木门）

Applicable Categories:

Invisible doors, Folding doors, Flat doors (most wooden doors)

材质 Material	锌合金 Zinc alloy
门重 Door weight	80kg/2个 80kg/2 pcs
合页尺寸 Hinge size	165*30mm 165*30mm
门厚 Door thickness	≥38mm ≥38mm
门宽 Door width	≤1000mm ≤1000mm
前后调节 Front/Rear adjustment	±1mm ±1mm
上下调节 Up/Down adjustment	±2mm ±2mm
左右调节 Left/Right adjustment	±2mm ±2mm

表面处理 Finishes




三维隐藏可调合页 MY100-1

3D Concealed Adjustable Hinge MY100-1




哑黑
Matte Black



珍珠银
Pearl Silver

产品参数 Product Parameters



适用门类：隐形门、折叠门、平开门（大部分木门）

Applicable Categories:

Invisible doors, Folding doors, Flat doors (most wooden doors)

材质 Material	锌合金 Zinc alloy
门重 Door weight	100kg/2个 100kg/2 pcs
合页尺寸 Hinge size	165*32mm 165*32mm
门厚 Door thickness	≥40mm ≥40mm
门宽 Door width	≤1000mm ≤1000mm
前后调节 Front/Rear adjustment	±1mm ±1mm
上下调节 Up/Down adjustment	±2mm ±2mm
左右调节 Left/Right adjustment	±2mm ±2mm

表面处理 Finishes




不锈钢三维隐藏可调合页 MY100-2-B

Stainless Steel 3D Concealed Adjustable Hinge MY100-2-B



珍珠银
Pearl Silver

产品参数 Product Parameters



适用门类：隐形门、折叠门、平开门（大部分木门）

Applicable Categories:

Invisible doors, Folding doors, Flat doors (most wooden doors)

材质	不锈钢
Material	Stainless steel
门重	100kg/2个
Door weight	100kg/2 pcs
合页尺寸	160*29mm
Hinge size	160*29mm
门厚	≥38mm
Door thickness	≥38mm
门宽	≤1000mm
Door width	≤1000mm
前后调节	±1mm
Front/Rear adjustment	±1mm
上下调节	±2mm
Up/Down adjustment	±2mm
左右调节	±2mm
Left/Right adjustment	±2mm

表面处理 Finishes




三维隐藏可调合页 MY200-2-B

3D Concealed Adjustable Hinge MY200-2-B



珍珠银
Pearl Silver

产品参数 Product Parameters



适用门类：隐形门、折叠门、平开门（大部分木门）

Applicable Categories:

Invisible doors, Folding doors, Flat doors (most wooden doors)

材质	锌合金
Material	Zinc alloy
门重	200kg/2个
Door weight	200kg/2 pcs
合页尺寸	240*32mm
Hinge size	240*32mm
门厚	≥42mm
Door thickness	≥42mm
门宽	≤1000mm
Door width	≤1000mm
前后调节	±1mm
Front/Rear adjustment	±1mm
上下调节	±2mm
Up/Down adjustment	±2mm
左右调节	±2mm
Left/Right adjustment	±2mm

表面处理 Finishes





镍拉丝
Brushed Nickel



拉丝灰
Brushed Gray



哑黑
Matte Black



拉丝灰
Brushed Gray



哑黑
Matte Black




- 回门区：门会自动关闭，直至上锁关门。(闭门器作用)
Reentry Area : The door will close automatically until it is locked and closed. (Door closer function)
- 定位区：回门力量被定位珠截住使门停留。(起门吸作用)
Positional Area : The return force is intercepted by the positioning bead to make the door stay. (Acts as a door suction)



- 回门区：门会自动关闭，直至上锁关门。(闭门器作用)
Reentry Area : The door will close automatically until it is locked and closed. (Door closer function)
- 定位区：回门力量被定位珠截住使门停留。(起门吸作用)
Positional Area : The return force is intercepted by the positioning bead to make the door stay. (Acts as a door suction)


产品参数 Product Parameters

4寸平头单开弹簧合页 MT4-1 4" Single-Action Spring Hinge MT4-1




材质	不锈钢
Material	Stainless steel
门重	≤30kg/2片
Door weight	≤30kg/2 pcs
合页尺寸	100*32mm
Hinge size	100*32mm
门宽	≤900mm
Door width	≤900mm

5寸平头单开弹簧合页 MT5-1 5" Single-Action Spring Hinge MT5-1




材质	不锈钢
Material	Stainless steel
门重	≤40kg/2片
Door weight	≤40kg/2 pcs
合页尺寸	125*32mm
Hinge size	125*32mm
门宽	≤900mm
Door width	≤900mm

4寸平头双开弹簧合页 MT4-1-S 4" Double-Action Spring Hinge MT4-1-S



材质	不锈钢
Material	Stainless steel
门重	≤30kg/2片
Door weight	≤30kg/2 pcs
合页尺寸	100*32mm
Hinge size	100*32mm
门宽	≤900mm
Door width	≤900mm


5寸平头双开弹簧合页 MT5-1-S 5" Double-Action Spring Hinge MT5-1-S



材质	不锈钢
Material	Stainless steel
门重	≤40kg/2片
Door weight	≤40kg/2 pcs
合页尺寸	125*40.5mm
Hinge size	125*40.5mm
门宽	≤900mm
Door width	≤900mm



镍拉丝
Brushed Nickel



金色
Gold




拉丝灰
Brushed Gray



哑黑
Matte Black


产品参数 Product Parameters

3寸高头双开弹簧合页 MT3-2-S 3" Single-Action Spring Hinge MT3-2-S




材质	不锈钢
Material	Stainless steel
门重	≤10kg/2片
Door weight	≤10kg/2 pcs
合页尺寸	76.7*39.5mm
Hinge size	76.7*39.5mm
门宽	≤900mm
Door width	≤900mm

4寸高头双开弹簧合页 MT4-2-S 4" Single-Action Spring Hinge MT4-2-S




材质	不锈钢
Material	Stainless steel
门重	≤15kg/2片
Door weight	≤15kg/2 pcs
合页尺寸	102.1*39.5mm
Hinge size	102.1*39.5mm
门宽	≤900mm
Door width	≤900mm

5寸高头双开弹簧合页 MT5-2-S 5" Single-Action Spring Hinge MT5-2-S



材质	不锈钢
Material	Stainless steel
门重	≤20kg/2片
Door weight	≤20kg/2 pcs
合页尺寸	125.6*45mm
Hinge size	125.6*45mm
门宽	≤900mm
Door width	≤900mm

6寸高头双开弹簧合页 MT6-2-S 6" Single-Action Spring Hinge MT6-2-S



材质	不锈钢
Material	Stainless steel
门重	≤25kg/2片
Door weight	≤25kg/2 pcs
合页尺寸	152*45mm
Hinge size	152*45mm
门宽	≤900mm
Door width	≤900mm

表面处理 Finishes



表面处理 Finishes





镍拉丝
Brushed Nickel



拉丝灰
Brushed Gray



哑黑
Matte Black




- 回门区：门会自动关闭，直至上锁关门。(闭门器作用)
Reentry Area : The door will close automatically until it is locked and closed. (Door closer function)
- 定位区：回门力量被定位珠截住使门停留。(起门吸作用)
Positional Area : The return force is intercepted by the positioning bead to make the door stay. (Acts as a door suction)




产品参数 Product Parameters

4寸90°定位弹簧合页 MT4-2 4" 90° Positioning Spring Hinge MT4-2




材质	不锈钢
Material	Stainless steel
门重	≤30kg/2片
Door weight	≤30kg/2 pcs
合页尺寸	100*32mm
Hinge size	100*32mm
门宽	≤900mm
Door width	≤900mm

5寸90°定位弹簧合页 MT5-2 5" 90° Positioning Spring Hinge MT5-2



材质	不锈钢
Material	Stainless steel
门重	≤40kg/2片
Door weight	≤40kg/2 pcs
合页尺寸	125*32mm
Hinge size	125*32mm
门宽	≤900mm
Door width	≤900mm



镍拉丝
Brushed Nickel



拉丝灰
Brushed Gray




哑黑
Matte Black



- 回门区：门会自动关闭，直至上锁关门。(闭门器作用)
Reentry Area : The door will close automatically until it is locked and closed. (Door closer function)
- 定位区：回门力量被定位珠截住使门停留。(起门吸作用)
Positional Area : The return force is intercepted by the positioning bead to make the door stay. (Acts as a door suction)


产品参数 Product Parameters

4寸子弹簧合页 MT4-1 4" Spring-Flap Spring Hinge MT4-1



材质	不锈钢
Material	Stainless steel
门重	≤30kg/2片
Door weight	≤30kg/2 pcs
合页尺寸	100*34mm
Hinge size	100*34mm
门宽	≤900mm
Door width	≤900mm

5寸子弹簧合页 MTZ5-1 5" Spring-Flap Spring Hinge MTZ5-1




材质	不锈钢
Material	Stainless steel
门重	≤40kg/2片
Door weight	≤40kg/2 pcs
合页尺寸	125*35mm
Hinge size	125*35mm
门宽	≤900mm
Door width	≤900mm



日式3D可调节平开合页 MR4-1 Japan Style 3D Adjustable Flush Open Hinge MR4-1



产品参数 Product Parameters



材质 铝合金
Material Aluminum alloy


ITEM / 番号ばんごう	DIMENSION / 寸法すんぼうmm
A	102
B	102
C	54
D	44
E	18
F	81

304不锈钢合页 4.5*4.5*3 304 Stainless Steel Hinge 4.5*4.5*3




镍拉丝
Nickel Drawing

产品参数 Product Parameters



材质	不锈钢
Material	Stainless steel
门重	≤80kg/2片
Door weight	≤80kg/2 pcs
合页尺寸	121*49mm
Hinge size	121*49mm
门宽	≤900mm
Door width	≤900mm

表面处理 Finishes




单面/带钥匙 锌合金门锁-YS66 Single face/keyed Zinc alloy door lock-YS66

外开配件/钥匙
Outward Opening Accessory



锁体
Lock body



青古铜
Antique Bronze



镍拉丝
Brushed Nickel



铜拉丝
Brushed Copper



哑黑
Matte Black



材质	锌合金
Material	Zinc Alloy
适用范围	木质门/金属门
Application	Wooden doors metal doors


表面处理
Finishes



外开配件/钥匙
Outward Opening Accessory



锁体
Lock body



锌合金门锁-AY57
Zinc alloy door lock-AY57



艺术白



艺术黑



黑镍拉丝

材质	锌合金
Material	Zinc Alloy
适用范围	木质门/金属门
Application	Wooden doors metal doors


表面处理
Finishes



外开配件/钥匙
Outward Opening Accessory



锁体
Lock body



锌合金门锁-T51
Zinc alloy door lock-T51



艺术白



哑光铬拉丝



罗马金拉丝



哑镍单色



黑镍拉丝




艺术黑

材质	锌合金
Material	Zinc Alloy
适用范围	木质门/金属门
Application	Wooden doors metal doors

表面处理
Finishes





We are perfectionists and we care about details. We always want our products to match perfectly, All components are included - even the head of the mounting screws.

单面/带钥匙 锌合金门锁-AY61 Single face/keyed Zinc alloy door lock-AY61



哑镍单色




黑钢单色



罗马金拉丝



卡其米



材质	锌合金
Material	Zinc Alloy
适用范围	木质门/金属门
Application	Wooden doors metal doors


表面处理 Finishes



外开配件/钥匙
Outward Opening Accessory



锁体
Lock body



锌合金门锁 A5-530
Zinc alloy door lock A5-530



黑镍拉丝



艺术黑



罗马金拉丝



哑光铬拉丝

锌合金门锁 A3-288
Zinc alloy door lock A3-288



黑镍拉丝



艺术黑




罗马金拉丝

外开配件/钥匙
Outward Opening Accessory



锁体
Lock body



锌合金门锁 A3-233
Zinc alloy door lock A3-233



黄铜乱纹拉丝



哑光铬拉丝



古金乱纹拉丝

锌合金门锁 A3-115
Zinc alloy door lock A3-115



黑镍拉丝



艺术黑



卡其米

材质	锌合金
Material	Zinc Alloy
适用范围	木质门/金属门
Application	Wooden doors metal doors

表面处理
Finishes



哑黑
Matte Black



灰色
Gray



珍珠银
Pearl Silver



金色
Gold



镍拉丝
Brushed Nickel



铜拉丝
Brushed Copper



青古铜
Antique Bronze



红古铜
Antique Copper



黄古铜
Antique Brass

材质	锌合金
Material	Zinc Alloy
适用范围	木质门/金属门
Application	Wooden doors metal doors

表面处理
Finishes



哑黑
Matte Black



灰色
Gray



珍珠银
Pearl Silver



金色
Gold



镍拉丝
Brushed Nickel



铜拉丝
Brushed Copper



青古铜
Antique Bronze



红古铜
Antique Copper




黄古铜
Antique Brass

外开配件/钥匙
Outward Opening Accessory



锁体
Lock body



锌合金门锁 A29-533
Zinc alloy door lock A29-533



哑镍单色



真金



黑钢单色

锌合金门锁 A6-292
Zinc alloy door lock A6-292



黑镍拉丝



艺术黑



铜咖啡拉丝



罗马金拉丝

材质	锌合金
Material	Zinc Alloy
适用范围	木质门/金属门
Application	Wooden doors metal doors

表面处理
Finishes



哑黑
Matte Black



灰色
Gray



珍珠银
Pearl Silver



金色
Gold



镍拉丝
Brushed Nickel



铜拉丝
Brushed Copper



青古铜
Antique Bronze



红古铜
Antique Copper



黄古铜
Antique Brass

